# Quality Control & Quality Assurance



# **Testing & Inspection**

Visual inspection of solar cells and testing for quality & performance



## Electroluminescence

Inspection and testing of interlayer and solar wafers



# **Environmental & Stress Testing**

Water infiltration, weight bearing, impact, heat, cold, and humidity



# Safety & Fire Testing

PV safety, fire classification, fire performance of external cladding

We are dedicated to delivering high-performance, high-quality, long-lasting, and safe façade solutions.

# **Quality and Safety**

ClearVue<sup>PV</sup> Vision Glass, Spandrel, Skylight, Balustrade, and Cladding products are engineered to meet and/or exceed industry standards for quality, lifespan, and safety.

By undergoing rigorous testing, compliance, and certifications, our solar façade solutions demonstrate the reliability and suitability for deployment in diverse building envelope applications. This ensures optimal energy production, fire resistance, and thermal efficiency. Adherence to these standards underscores our commitment to deliver high-quality, dependable products that contribute to sustainable and resilient built environments.



# Certifications & Compliance

### ClearVuePV Vision Glass

- 30-year linear power performance warranty
- 10-year product component warranty
- High resistance to high temperatures, high humidity, sand, acid, and alkali environmental conditions
- Fire certified by TÜV SÜD under the EN 13501-1:2018 A2-s1, d0 classification rating for combustibility
- Reliable IGU seal and IP67 connectors



## **QUALITY & SAFETY TESTING**

Long term test method and requirements for moisture penetration. Intertek Europe (June 2024)
Long term test method and requirements for gas leakage and for gas concentration tolerance. Intertek Europe and SQI (Q3 2024)
Insulating Glass Unit Performance and Evaluation. Testing completed and certified by Insulating Glass Certification Council (IGCC)
Electrical Safety Testing by TÜV SÜD
PV module safety testing for electrical and mechanical operation by Underwriters Laboratories (Q4 2024)
For vertical wall application. by TÜV SÜD Classified as A2-s1, d0 rating; Can be deployed on buildings over 18M high and high-risk environments like hospitals, schools, hotels, etc.

# **COMPLIANCE & CERTIFICATIONS**















# Certifications & Compliance

## ClearVue<sup>PV</sup> Spandrel

- 30-year linear power performance warranty
- 12-year product warranty
- High resistance to high temperatures, high humidity, sand, acid, and alkali environmental conditions
- Fire certified by TÜV SÜD under the EN 13501-1:2018 A2-s1, d0 classification rating for combustibility
- Reliable seal and IP68 connectors



TESTING STANDARDS	
IEC 61215-1	Terrestrial photovoltaic modules - Design qualification and type approval - Part 1 test requirements
IEC 61215-1-1	Terrestrial photovoltaic modules - Design qualification and type approval - Part 1-1: Special requirements for testing of crystalline silicon photovoltaic modules
IEC 61215-2	Terrestrial photovoltaic (PV) modules - Design qualification and type approval - Part 2: Test procedures
IEC 61730-1	Photovoltaic (PV) module safety qualification - Part 1: Requirements for construction
IEC 61730-2	Photovoltaic (PV) module safety qualification - Part 2: Requirements for testing
EN 13501-1:2018	Fire classification of construction products and building elements - Achieved A2-s1, d0
AS 4284	Testing of the building facade (Q3 2024)
AS/NZS 1530.3	Fire tests on building materials, components, and structures; Part 3: Ignitability, flame propagation, heat release, and smoke release
Clean Energy Council (CEC) of Australia	Certification - Approved for installation and meets safety standards
ISO	9001 Certified manufacturing facility
UL 61730	PV module safety testing (Q4 2024)

### **COMPLIANCE & CERTIFICATIONS**













# Certifications & Compliance

## ClearVue<sup>PV</sup> Cladding

- 30-year linear power performance warranty
- 12-year product warranty
- High temperatures and humidity resistance
- High strength and corrosion resistance
- Fire certified by TÜV SÜD under the EN 13501-1:2018 A2-s1, d0 classification rating for combustibility
- Reliable seal and IP68 connectors
- Excellent wind resistance and static load performance



### **TESTING STANDARDS**

IEC 61215-1	Terrestrial photovoltaic modules - Design qualification and type approval - Part 1 test requirements
IEC 61215-1-1	Terrestrial photovoltaic modules - Design qualification and type approval - Part 1-1: Special requirements for testing of crystalline silicon photovoltaic modules
IEC 61215-2	Terrestrial photovoltaic (PV) modules - Design qualification and type approval - Part 2: Test procedures
IEC 61730-1	Photovoltaic (PV) module safety qualification - Part 1: Requirements for construction
IEC 61730-2	Photovoltaic (PV) module safety qualification - Part 2: Requirements for testing
EN 13501-1:2018	Fire classification of construction products and building elements - Achieved A2-s1, d0
AS 4284	Testing of the building facade (Q3 2024)
Clean Energy Council (CEC) of Australia	Certification - Approved for installation and meets safety standard
ISO	9001 Certified manufacturing facility
UL 61730	PV module safety testing (Q4 2024)

## **COMPLIANCE & CERTIFICATIONS**















Headquarters

Suite 9 / 567 Newcastle Street West Perth, Western Australia 6005

+61 8 9220 9020

ClearVue Technologies North America 1625 The Alameda, Suite 712 San Jose, California 95126

+1 408 352 5326

hello@clearvuepv.com

www.clearvuepv.com

The information provided in this product brochure is for general informational purposes only and is subject to change without notice. While we strive to ensure the accuracy and completeness of the content, we make no guarantees, representations, or warranties, either express or implied, about the suitability, reliability, or availability of the products described or accuracy of the product information contained in this brochure.

Performance and efficiency of solar photovoltaic (PV) systems, including Building Integrated Photovoltaic (BIPV) products, may vary based on factors such as location, installation, maintenance, and environmental conditions. Customers are advised to consult with qualified professionals for specific installation requirements and to ensure compliance with local regulations, building codes, and standards.

All images and specifications are for illustrative purposes only. Actual product appearance and technical specifications may vary. The customer assumes all risks related to the installation and use of the products. We shall not be liable for any direct, indirect, or consequential damages arising from the use or misuse of the products including by reliance on the information in this brochure.

For more detailed product information, warranty terms, and installation guidelines, please refer to official specifications documentation for each individual product or contact our technical support team.